

GOVERNMENT OF TRIPURA  
OFFICE OF THE CHIEF ENGINEER  
RURAL DEVELOPMENT DEPARTMENT  
GURKHABASTI, AGARTALA  
PHONE-0381-2329358  
Email-ee2tocerd@gmail.com

**Notice Inviting Quotation No. CE/RD/UID-GPS/16-17 dtd 07.03.17 ( 2<sup>nd</sup> call)**

Executive Engineer-I, Office of the Chief Engineer, R.D Department invites sealed quotation in prescribed format on behalf of the Governor of Tripura for supply of 80 (eighty) nos GPS devices from the eligible vendors up to **3PM of 20<sup>th</sup> March 2017**.

Sl.	Name of Item	Models	Tentative Quantity
1	GPS Device for using with Aadhaar enrolment kits	Rate to be quoted for any of the below mentioned models which are successfully tested with ECMP by UIDAI as on 01/03/2017: BU-353/BR-355/BU-353 S4/Micro 93 Secure / IG CBI Transline/IG CBE Transline/ NUNAV 100/NUN 006/UGR 86/G STAR-IV • Bidder may also quote for any other model, if it is successfully tested with ECMP by UIDAI after 01/03/2017.	80( eighty)

Rate should be quoted in the format mentioned at "Annexure-A" which is enclosed herewith.

**1. Salient features of quotation:**

- i. Eligibility of the bidder:** UIDAI enlisted vendors for supplying GPS devices or their authorized dealer/agencies. Should have valid relevant trade license , VAT registration .
- ii. Last date of dropping & date of opening:** Sealed quotation alongwith all required documents may be submitted on any working days upto **20.03.17 (till 3.00PM)** in the box kept at the office chamber of the undersigned. Received quotations will be opened on **20.03.17 at 3.30 PM**. If the last date of dropping/opening of tender happens to be a holiday or office work is affected due to any unforeseen reason, the date of dropping/opening will be on next working day.
- iii. Tender submission format:** Tender to be submitted only in the prescribed format.
- iv. EMD & Quotation fee:** Bidder should submit EMD to the tune of ₹ **5000.00** (Rupees five thousand)only and quotation fee to the tune of ₹ **200.00** (Rupees two hundred)(**non refundable**) only in the shape of Deposit at Call/Demand Draft on any Nationalized/scheduled bank, payable at Agartala in favour of the Chief Engineer, RD Department along with the quotation. EMD and Quotation fee should be submitted in separate.
- v. Documents to be submitted along with the tender:** Attested photo copies of documents in support of eligibility like relevant trade license, Document in support of enlistment by UIDAI, Authorization certificate of enlisted Vendors ( in case of authorized dealer/Agency), VAT registration certificate.
- vi. Validity of rate:** Rate should remain valid for **6 months** from the date of quotation.
- vii. Delivery schedule:** Devices to be delivered within **2 weeks** from the date of issuance of the supply order .

*P.P.*  
07/03/17


- viii. **Bid evaluation:** Bids will be evaluated on the basis of supporting documents submitted along with the quotation, submission of EMD, Quotation fee and acceptance of the terms condition of the quotation. Conditional quotation/extraneous terms condition will not be accepted. **L<sub>1</sub> Bidder will be selected from the formal bidders on the basis of lowest quoted rate.**
- ix. **Security deposit:** Successful bidder will have to deposit a security deposit to the tune of 10% of the order value in the shape of performance Bank Guarantee payable at Agartala in favour of the Chief Engineer, RD Department and sign an agreement with the department after issuance of the supply order.
- x. **Specification:** The specification should comply UIDAI's requirement for using the device with Aadhaar enrolment client (ECMP) and should be among the UIDAI specified Models & make. The specification is as below:

<b>Environmental Specification</b>	
Operating temperature	-40 <sup>o</sup> to 85 <sup>o</sup> c
Storage temperature	-40 <sup>o</sup> to 85 <sup>o</sup> c
Humidity	Upto 95% non condensing
<b>GPS Specification</b>	
GPS Chipset	SIRF Star III/SIRF STAR IV GSD4e/Chipset media Tek
Frequency	L1,1575.42 MHZ
C/A Code	1.023 MHz chip rate
Channels	>=20 channel
Sensitivity	-159 dBm to -169dBm
Protocol support	NMEA 0183 MEA0183 V3.0 protocol, and supports Command: GGA,GSA,GSV,RMC,VTG,GLL v 2.2
<b>Acquisition rate</b>	
Hot start	1-8 Sec, Average
Warm start	30-40 Sec, Average
Cold start	30-42 Sec, Average
<b>Electrical characteristics</b>	
Voltage	3.5 V to 6.5 V
Current draw	55-80 mA

- xi. **Warranty:** Supplied devices should be at least under 1 year warranty.

**General Terms & Condition:**

- i). **Sealed quotation** must be submitted in plain paper as per prescribed format enclosed with the notice positively within **3.00 PM on 20.03.17** to the specific tender box kept in the office chamber of the undersigned. Quotation reference no. must be written in the envelop clearly. Any bid received after 3.00 PM on the closing date will not be accepted. **In case of quotation sent through post/currier, department will not be responsible for any postal delay .**
- ii). Quotation received without **EMD** and **Quotation fee** will be summarily be rejected.
- iii) If any applicable paper is not enclosed with the bid, tendering authority reserves the right to declare the incomplete quotation as informal or may ask the bidder to submit wanted documents after opening of bid. Beside this , the department reserves the right to seek any additional information/document in any stage from the bidder after opening of quotation.


 20/03/17

- iv) Quoted rate (in word and figure) should include the cost of transportation, loading / unloading charge & all other applicable taxes & charges. **Materials to be delivered at the office of the Chief Engineer, RD Department, Pandit Nehru complex, Gurkhabasti, Tripura-799006.**
- v) 1<sup>st</sup> lowest formal bidder may be asked to attend clarification for justification / analysis of quotation.
- vi) **Penalty cause:** For default bidder/supplier penalty will be imposed as follows:

Sl. No.	Description	Penalty
2	Non signing of agreement and/or Non submission of Security deposit after issuance of supply order.	100% EMD will be forfeited.
3	Refuse to supply after signing of agreement.	100% Security deposit will be forfeited and the bidder will be blacklisted for next two years.
4	Fails to complete the work in the stipulated period.	LD will be imposed as per decision of the authority not exceeding maximum security deposit amount.
5	If the supplier fails to execute the work and department need to arrange alternative arrangement at higher rate .	Cost difference will be realized from the default supplier.

- ix) Without any valid & justified ground no time extension will be allowed.
- x) Payment will only be made after successful completion of the supply. Bill in duplicate to be raised to the undersigned .
- xi) For any kind of clarification, office of the undersigned may be contacted or may be mailed to [ee2tocerd@gmail.com](mailto:ee2tocerd@gmail.com).
- xii) Statutory deduction will be deducted at source as per prevailing rate.
- xiii) Any quotation not complying with the requirement / fulfilling the terms and conditions of the quotation will be treated as informal and will be rejected.
- xv) Undersigned reserves the right to accept / reject any quotation or cancel entire tender procedure without assigning any reason.
- Xvi) Bidder should sign & seal each & every page of the quotation.

Encl: - As stated

  
 (Er. N. S. Paul)  
 Executive Engineer-I  
 Office of the Chief Engineer (RD)  
 Agartala

Copy to the:

- 1) Superintending Engineer, office of the Chief Engineer (RD), Agartala for kind information.
- 2) ADG, UIDAI, Guwahati RO for kind information.
- 3) Notice Board of office of the Chief Engineer (RD).

  
 Executive Engineer -I

PROFORMA FOR RATE QUOTING  
(To be sealed & submitted in a envelope)

To,  
The Executive Engineer-I  
Office of the Chief Engineer  
Rural Development Department  
Agartala.

**Sub:** Submission of quotation for supply of GPS Devices.  
**Ref:** Notice inviting quotation no: F.CE/RD/UID-GPS/16-17 dated 07.03.17. (2nd call)

Sir,

In response to the above, I am submitting herewith my rates for the aforesaid work in the enclosed annexure as per terms & conditions of the quotation.

Following particulars are also furnished for your necessary action.

- i) Bidder's Name:-
  
- ii) Detailed mailing / Postal address of bidder:- \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
  
- iii) Phone No (Land & Mobile):-
  
- iv) Whether the bidder is UIDAI enlisted for supply of the item ( supporting documents to be enclosed ):-
  
- v) Earnest money details:-
  - i) No. & Date:-
  - ii) Name of Bank:-
  
- vi) Quotation fee details :-
  - i) No. & Date:-
  - ii) Name of Bank:-

  
07/03/17

vii) Enclosures:- Bidders should write the enclosure details below:

---

---

---

---

---

viii) Model & make of the GPS device for which rate has been quoted.

I do hereby declare that, I have gone through the quotation carefully, understood all the clauses and having been satisfied rates are quoted. I also certify that unconditionally I **have accepted all the terms conditions of the said notice** and above information are true to the best of my knowledge & belief. I have no objection if any extra term condition, mutually accepted by me and tendering authority is incorporated into the agreement.

Yours faithfully

(Full Signature of Bidder  
with date & seal)

---

*DM.03.17*

To  
The Executive Engineer-I  
Office of the Chief Engineer (RD)  
Agartala

**Sub:** - Offering rate.

**Ref:** - NO. F.CE/RD/UID-GPS/16-17 Dated 07-03-2017 (2nd Call)

Sl. No.	Name of Item	Model	Tentative Quantity	Rate per each device (Inclusive of all taxes) (in Rs.) [ In figure & words both]
1.	GPS Device for use with Aadhaar enrolment kits	BU-353/BR-355/BU-353 S4 /Micro 93 Secure / IG CBI Transline/IG CBE Transline/ NUNAV 100/NUN 006/UGR 86/G STAR-IV  Bidder may also quote for any other model, if it is successfully tested with ECMP by UIDAI after 01/03/2017. (Bidder should mention the model name for which they are quoting)	80 nos.	


**Total :**

- Correction ,if any should be duly signed by the bidder.
- No correction fluid should be used.
- In case of any mismatch in word and figure value the value in word will be considered.

Place:-

Date:-

Full Signature of the Bidder with seal

  
07/03/17